

4 Camera DVR Kit with 1TB Hard Drive and Push Video Technology



* Monitor (LCD19LED) not included; available option.

The DVR4ENTPACK6 is a complete 4 channel surveillance package. It includes 4x 520TVL weatherproof cameras, making them ideal for any indoor or outdoor environment. The cameras also have 15m infrared range - perfect for areas with low light or for night recording. The DVR can record each camera at D1 resolution (704 x 576) in real-time (25 fps) and can be customised to automatically record over old footage, viewed over a windows PC network or viewed remotely over the Internet. All cabling, remote control and power supplies are included in the kit.

The included 1TB hard disk drive can record for approximately 16 weeks with all cameras set at D1 resolution at a recording rate of 6 frames per second, per camera.

The DVR4ENTPACK6 now supports Push Video notifications, allowing you to receive alarm and motion alerts on your smartphone over the internet - stay in the loop no matter where you are!

Don't wait for Email or SMS Alerts - Get Instant Notifications with Push Video



Package Contents

The DVR4ENTPACK6 is a complete 4 channel surveillance package and comes in its own retail-ready box. The kit includes:



1 x 4 Channel H.264 Stand Alone Digital Video Recorder With Push Video, Network Functionality, Remote Access & 1TB Hard Drive

- Advanced H.264 video compression technology
- Multiplex operation
- Long recording duration
- Intelligent video motion detection recording
- Remote network surveillance & backup functions
- Easy to operate like a VCR with buttons for play, record, FF, RW, pause, search, etc

- System auto recovery after power loss (blackout)
- Supports manual / timer / motion / alarm / remote recording functions
- Watermark function ensures authentication of the recorded images * Supports TCP/IP, PPPoE, DHCP and DDNS network connection
- The DVR4ENTPACK6 DVR is compatible with the Eagle Eyes iPhone Application, which allows you to connect to your DVR via your smartphone for real-time footage viewing.



4 x Weatherproof Infrared Bullet Cameras

- High Quality CCD image sensor for superior picture quality
- 520 TVL Resolution
- 15m infrared range for viewing in complete darkness
- Compact and weatherproof design (IP66) for use indoors and outdoors



1 x Monitor Connection Cable

- Allows you to connect the BNC monitor output from the DVR to the RCA video input on your TV / VCR

1 x Network Cable (Optional Use)

- Allows you to connect the LAN port on the DVR to your PC or network to facilitate remote viewing or backup functions

1 x Power Split Cable

- Allows you to connect 4 Cameras to 1 power supply



4 x Camera Connection Cables

- Combined DC power and video leads pre-terminated
- Allowing simple plug-in connection (no tools required)
- 2 x 10m, 1x 20m, 1 x 30m leads supplied



2 x Switch Mode Low Voltage Power Supplies

- 1 x 3Amp 12VDC supply for use with the power split cable to power all cameras
- 1 x 2Amp 19VDC power supply for use with the DVR Advanced Switch Mode Technology

4 x High-Vis UV Resistant Window Warning Stickers



Specifications: DVR4ENT6		
Video Compression Format	H.264	
Video Input	4 Channels	
Audio Input / Output	4 audio inputs, 1 audio output (mono)	
Recording Resolutions	704×576 (D1) / 704×288 / 352×288	
Recording Framerate	100 fps	
Maximum Resolution Recording	Real Time (25 fps) Recording at D1 (704 x 576) on All Four Channels	
Hard Disk Storage	Accommodates 1 SATA HDD (capacity up to 2TB) / Built-in SATA Interface	
Quick Search	Time/Motion/Alarm search mode	
Recording Mode	Manual/Timer/Motion/Alarm/Remote	
Multiplex Operation	Live display/Record/Playback/Backup/Network operations	
USB Mouse Control	YES	
Motion Detection Area	16 × 12 grids per channel	
Motion Detection Sensitivity	3 adjustable parameters for accurate detection	
Pre-alarm Recording	YES	
Backup Device	USB 2.0 flash drive / Network	
Ethernet	10/100 Base-T. Supports remote control and live view via Ethernet	
Web Interface	Licensed software "Video Viewer" / Internet Explorer, Mozilla Firefox, Safari, Opera or	
	Google Chrome web browser / QuickTime player	
	Web Interface (5 users access simultaneously)	
	*Operating System: Windows 7 / Vista / XP / 2000	
Network Protocol	TCP/IP, PPPOE, DHCP and DDNS	
Event Notification	Push Video, FTP & E-Mail	
Push Video Enabled Devices	iPhone, iPad and Android	
Mobile Surveillance	Yes: iPad, iPhone, Blackberry, Windows Mobile & Java	
Picture Zoom	2X digital zoom	
PTZ Control	YES	
Alarm I/O	4 inputs (1 input for Push Video), 1 output	
Key Lock (Password Protection)	YES	
Video Loss Detection	YES	
Video Adjustable	Hue / Saturation / Contrast / Brightness	
Power	DC 19V	
Operating Temperature	10°C ~ 40°C	
Dimensions (mm)	343(W) x 59(H) x 223(D)	
System Recovery	System auto recovery after power failure	

Specification: VSWFF15MIR520B		
Image Sensor	1/3" CMOS + IR Cut filter	
Horizontal Resolution	Colour: 520TVL	
IR LEDs / Distance	24pcs / 15m	
Lens	Fixed 3.6mm	
Minimum Illumination	0.2 Lux /F2.0	
Ingress Protection	IP66	
Power	DC12V±10%	
Dimensions	L170 x H69 x W65 mm	

