



4 Camera DVR Kit with 1TB Hard Drive and Push Video Technology

Model: DVR4ENTPACK7



* Monitor (LCD19LED) not included; available option.

The DVR4ENTPACK7 is a complete 4 channel surveillance package and now comes with HDMI Output! It includes 4x 650TVL weatherproof cameras, making them ideal for any indoor or outdoor environment. The cameras also have 15m infrared range - perfect for areas with low light or for night recording. The DVR can record each camera at D1 resolution (704 x 576) in real-time (25 fps) and can be customised to automatically record over old footage, viewed over a windows PC network or viewed remotely over the Internet. All cabling, remote control and power supplies are included in the kit.

The included 1TB hard disk drive can record for approximately 16 weeks with all cameras set at D1 resolution at a recording rate of 6 frames per second, per camera.

The DVR4ENTPACK7 supports Push Video notifications, allowing you to receive alarm and motion alerts on your smartphone over the internet - stay in the loop no matter where you are!

Don't wait for Email or SMS Alerts - Get Instant Notifications with Push Video



Package Contents

The DVR4ENTPACK7 is a complete 4 channel surveillance package and comes in its own retail-ready box. The kit includes:



1 x 4 Channel H.264 Stand Alone Digital Video Recorder With Push Video, Network Functionality, Remote Access & 1TB Hard Drive

- Advanced H.264 video compression technology
- Multiplex operation
- Long recording duration
- Intelligent video motion detection recording
- Remote network surveillance & backup functions
- Easy to operate like a VCR with buttons for play, record, FF, RW, pause, search, etc

- System auto recovery after power loss (blackout)
- Supports manual / timer / motion / alarm / remote recording functions
- Watermark function ensures authentication of the recorded images * Supports TCP/IP, PPPoE, DHCP and DDNS network connection
- The DVR4ENTPACK7 DVR is compatible with the Eagle Eyes iPhone Application, which allows you to connect to your DVR via your smartphone for real-time footage viewing.



4 x Weatherproof Infrared Bullet Cameras

- High Quality CCD image sensor for superior picture quality
- 650 TVL Resolution
- 15m infrared range for viewing in complete darkness
- Compact and weatherproof design (IP66) for use indoors and outdoors



1 x Monitor Connection Cable

- Allows you to connect the BNC monitor output from the DVR to the RCA video input on your TV / VCR

1 x Network Cable (Optional Use)

- Allows you to connect the LAN port on the DVR to your PC or network to facilitate remote viewing or backup functions

1 x Power Split Cable

- Allows you to connect 4 Cameras to 1 power supply



4 x Camera Connection Cables


- Combined DC power and video leads pre-terminated
- Allowing simple plug-in connection (no tools required)
- 2 x 10m, 1x 20m, 1 x 30m leads supplied



2 x Switch Mode Low Voltage Power Supplies

- 1 x 3Amp 12VDC supply for use with the power split cable to power all cameras
- 1 x 2Amp 19VDC power supply for use with the DVR Advanced Switch Mode Technology

4 x High-Vis UV Resistant Window Warning Stickers

Specifications: DVR4ENT7	
Video Compression Format	H.264
Video Input	4 Channels
Audio Input / Output	4 audio inputs, 1 audio output (mono)
Recording Resolutions	704×576 (D1) / 704×288 / 352×288
Recording Framerate	100 fps
Maximum Resolution Recording	Real Time (25 fps) Recording at D1 (704 x 576) on All Four Channels
Hard Disk Storage	Accommodates 1 SATA HDD (capacity up to 2TB) / Built-in SATA Interface
Quick Search	Time/Motion/Alarm search mode
Recording Mode	Manual/Timer/Motion/Alarm/Remote
Multiplex Operation	Live display/Record/Playback/Backup/Network operations
USB Mouse Control	YES
Motion Detection Area	16 × 12 grids per channel
Motion Detection Sensitivity	3 adjustable parameters for accurate detection
Pre-alarm Recording	YES
Backup Device	USB 2.0 flash drive / Network
Ethernet	10/100 Base-T. Supports remote control and live view via Ethernet
Web Interface	Licensed software "Video Viewer" / Internet Explorer, Mozilla Firefox, Safari, Opera or Google Chrome web browser / QuickTime player Web Interface (5 users access simultaneously) *Operating System: Windows 7 / Vista / XP / 2000
Network Protocol	TCP/IP, PPPOE, DHCP and DDNS
Event Notification	Push Video, FTP & E-Mail
Push Video Enabled Devices	iPhone, iPad and Android
Mobile Surveillance	Yes: iPad, iPhone, Blackberry, Windows Mobile & Java
Picture Zoom	2X digital zoom
PTZ Control	YES
Alarm I/O	4 inputs (1 input for Push Video), 1 output
HDMI Output	YES
Key Lock (Password Protection)	YES
Video Loss Detection	YES
Video Adjustable	Hue / Saturation / Contrast / Brightness
Power	DC 19V
Operating Temperature	10°C ~ 40°C
Dimensions (mm)	343(W) x 59(H) x 223(D)
System Recovery	System auto recovery after power failure
	 <p>The diagram shows the rear panel of the DVR4ENT7. It includes four video input ports (labeled 1, 2, 3, 4), a monitor output port, four audio input ports (labeled 1, 2, 3, 4), and one audio output port. Other ports include Ethernet, VGA, and an external I/O port. A DC19V IN power input is also shown. A warning label is present, stating: 'WARNING: TO PREVENT THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE COVER (OR BACK). NO USER-SERVICEABLE PARTS INSIDE. REFER ALL SERVICING TO QUALIFIED SERVICE PERSONNEL.'</p>

Specification: VSWFF15MIR650B

Image Sensor	1/3" CMOS + IR Cut filter
Horizontal Resolution	Colour: 650TVL
IR LEDs / Distance	24pcs / 15m
Lens	Fixed 3.6mm
Minimum Illumination	0.2 Lux /F2.0
Ingress Protection	IP66
Power	DC12V±10%

